
Printing date 29.12.2014

Revision: 29.12.2014



Printing date 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

Revision: 29.12.2014

(Contd. of page 1) · Hazard pictograms GHS08 · Signal word Danger · Hazard-determining components of labelling: Quartz (SiO2) Hazard statements H350 May cause cancer. · Precautionary statements Use personal protective equipment as required. P281 P202 Do not handle until all safety precautions have been read and understood. P308+P313 IF exposed or concerned: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Additional information: Restricted to professional users. · Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects NFPA ratings (scale 0 - 4) Health = 0 Fire = 00 Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *0 Health = *0 • Fire = 0 FIRE REACTIVITY O Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 14808-60-7 Quartz (SiO2) 2.3 Other hazards Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

(Contd. on page 3)

Printing date 29.12.2014

Revision: 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

(Contd. of page 2)

SECTION 3: Composition/information on ingredients · 3.1 Substances · CAS No. Description 409-21-2 silicon carbide · Impurities and stabilising additives: CAS: 14808-60-7 EINECS: 238-878-4 Quartz (SiO2) Quartz (SiO2) Carc. 1A, H350

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Brush off loose particles from skin.

Clean with water and soap.

If skin irritation continues, consult a doctor.

• After eye contact:

Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed
- Coughing

Gastric or intestinal disorders.

· Hazards Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: None.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 4)

^{· 5.1} Extinguishing media

Printing date 29.12.2014

Revision: 29.12.2014

(Contd. of page 3)

Trade name: Electrocarb Black Silicon Carbide Grain

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.
 Ensure adequate ventilation
 For large spills, wear protective clothing.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 6.2 Environmental precautions: No special measures required.

 $^{\circ}$ 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Use only in well ventilated areas.

Avoid breathing dust.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidising agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Protect from humidity and water.

- This product is hygroscopic.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Printing date 29.12.2014

Revision: 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

| | (Contd. of page 4) |
|--------------------------------|---|
| · 8.1 Control p | arameters |
| - | vith limit values that require monitoring at the workplace: |
| 409-21-2 silio | |
| PEL (USA) | Long-term value: 15* 5** mg/m ³ fibrous dust: *total dust **respirable fraction |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction |
| TLV (USA) | Long-term value: 10* 3** mg/m³ fibrous dust:0,1 f/cc; nonfibrous:*inh.,**resp. |
| EL (Canada) | Long-term value: 10* 3** mg/m ³ *inhalable;**respirable |
| EV (Canada) | Long-term value: 10* 3** mg/m³, 0,1f/cc*** ppm nonfibrous: *inh.,**resp.; ***fibrous, resp. |
| 14808-60-7 C | uartz (SiO2) |
| PEL (USA) | see Quartz listing |
| REL (USA) | Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A |
| TLV (USA) | Long-term value: 0,025* mg/m³ *as respirable fraction |
| EL (Canada) | Long-term value: 0,025 mg/m³ ACGIH A2; IARC 1 |
| EV (Canada) | Long-term value: 0,10* mg/m³ *respirable fraction |
| · PNECs No fu | rther relevant information available. rther relevant information available. formation: The lists valid during the making were used as basis. |
| General prot The usual pre | tective equipment: ective and hygienic measures: cautionary measures are to be adhered to when handling chemicals. |
| Avoid contact Avoid close o | before breaks and at the end of work. with the eyes. r long term contact with the skin. dust / smoke / mist. |
| | ratory protective device recommended. |
| | espiratory protective device in case of insufficient ventilation. piratory protection may be advisable. f hands: |
| Wear gloves | for the protection against mechanical hazards according to NIOSH or EN 388. terial has to be impermeable and resistant to the product/ the substance/ the preparation. |
| The selection | o of the suitable gloves does not only depend on the material, but also on further marks of ries from manufacturer to manufacturer. |
| , , | (Contd. on page 6) |

Printing date 29.12.2014

Revision: 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

(Contd. of page 5)

· Eye protection:



Safety glasses

Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment No special requirements.

· Risk management measures No special requirements.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold: | d chemical properties Granulate Black Odourless Not determined. | |
|---|---|--------------------|
| · pH-value: | Neutral | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Not Determined. Undetermined. | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Product is not flammable. | |
| · Auto/Self-ignition temperature: | Not determined. | |
| · Decomposition temperature: | 4712 °F / 2600 °C (Sublimation) | |
| · Self-igniting: | Not determined. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapour pressure: | Not applicable. | |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 3,20 g/cm³ Not determined. Not applicable. Not applicable. | |
| Solubility in / Miscibility with water: | Insoluble. | (Contd. on page 7) |

Printing date 29.12.2014

Revision: 29.12.2014

(Contd. of page 6)

Trade name: Electrocarb Black Silicon Carbide Grain

· Partition coefficient (n-octanol/water): Not determined.

 Viscosity: Dynamic: Kinematic:
 9.2 Other information

Not applicable. Not applicable. No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with strong acids.

Reacts with oxidising agents.

Reacts with strong alkali.

• **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Carcinogenic if inhaled.

• **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1A

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Generally not hazardous for water
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 29.12.2014

Revision: 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

(Contd. of page 7)

· Additional ecological information:

· General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Smaller quantities can be disposed of with household waste.

Can be reused after reprocessing.

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | |
|--|-----------------------|
| · 14.1 UN-Number | |
| DOT, ADR, ADN, IMDG, IATA | Not Regulated |
| 14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 14.3 Transport hazard class(es) | Not Regulated |
| · DOT, ADR, ADN, IMDG, IATA | |
| Class | Not Regulated |
| 14.4 Packing group DOT, ADR, IMDG, IATA | Not Regulated |
| 14.5 Environmental hazards: | |
| Marine pollutant: 14.6 Special precautions for user | No Not applicable. |
| • 14.7 Transport in bulk according to Annex I | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

(Contd. on page 9)

Printing date 29.12.2014

Revision: 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

(Contd. of page 8)

SECTION 15: Regulatory information

| SARA | |
|--|--|
| Section 355 (extremely hazardous substances): Substance is not listed. | |
| | |
| Section 313 (Specific toxic chemical listings): Substance is not listed. | |
| | |
| TSCA (Toxic Substances Control Act): Substance is listed. | |
| Proposition 65 (California): | |
| Chemicals known to cause cancer: | |
| 14808-60-7 Quartz (SiO2) | |
| Chemicals known to cause reproductive toxicity for females: | |
| Substance is not listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| Substance is not listed. | |
| | |
| Chemicals known to cause developmental toxicity: Substance is not listed. | |
| Carcinogenic Categories | |
| EPA (Environmental Protection Agency) | |
| Substance is not listed. | |
| IARC (International Agency for Research on Cancer) | |
| 14808-60-7 Quartz (SiO2) | |
| TLV (Threshold Limit Value established by ACGIH) | |
| 409-21-2 silicon carbide | |
| 14808-60-7 Quartz (SiO2) | |
| NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| 14808-60-7 Quartz (SiO2) | |
| Canada | |
| Canadian Domestic Substances List (DSL) | |
| Substance is listed. | |
| Canadian Ingredient Disclosure list (limit 0.1%) | |
| Substance is not listed. | |
| Canadian Ingredient Disclosure list (limit 1%) | |

Printing date 29.12.2014

Revision: 29.12.2014

Trade name: Electrocarb Black Silicon Carbide Grain

(Contd. of page 9)

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Carc. 1A: Carcinogenicity, Hazard Category 1A Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com